BRADY



LABEL WITH SPEED, STRENGTH AND SIMPLICITY

i6100

INDUSTRIAL LABEL PRINTER

EVERYTHING YOU NEED. NOTHING YOU DON'T.







MEET THE DEMANDS OF YOUR LABELLING JOBS

WITH STRAIGHTFORWARD FEATURES THAT GET THE JOB DONE

Purpose-built with your job in mind:

- Mid- to high-volume printing
- Durable aluminum body
- Print speeds up to 254 mm/sec
- > 300 dpi resolution
- ZPL emulation
- ➤ 9 cm (3.5") full-colour LCD display

OPEN CORE PRINTING

AT ITS SIMPLEST



EASY SETTING CHANGES



NO-NONSENSE DESIGN



i6100

READY FOR ANYTHING THE JOB THROWS AT IT



STANDARD MODEL

Print on a wide variety of material offerings to meet the needs for everything from moderate to high-performance labelling



PEEL MODEL

Printed labels can be partially peeled off the liner for easy removal or internally rewound onto an empty core for easier roll handling after printing.

IDEAL FOR A VARIETY OF APPLICATIONS







MANUFACTURING

- Traceability solutions to optimise recall management
- Meet serialisation standards to keep supply chains moving
- Parts labelling, quality control checks and inspections reports

PRODUCT ID

- End-to-end labelling for content packaging
- Enhanced component sourcing
- Wide variety of materials

WIRE ID

- Label everything from small wires to entire cable harnesses
- Organise and identify complex networks in datacom and telecom environments
- Panel markers for rating plates and backer board identification

Print with confidence on labels designed for durability

To view all available material offerings visit bradyeurope.com/i6100materials





PRINTER SPECIFICATIONS

D.1.1	
Printer	
Colour Capability	Monocolour
Print Speed (mm/sec)	254.00
Print Resolution (dpi)	300
Internal Memory Capacity	512 MB SDRAM, 512 MB Flash
Width x Height x Depth (mm)	269.00 x 324.00 x 490.00
Stand-alone Printing (Detached from PC)	Stand-alone & Peripheral
Weight (kg)	13.98
Warranty	2 years
Media	
Continuous vs Die-cut Labels	Continuous Die-cut
Compatible Media	PS-, 3HT-, 2HT-, THT-, THTEL-, DT-, HX-, DR-, APL-, XTHT-, LSZH-, ZH-
Min. Label Width (mm)	4.00
Max. Label Width (mm)	114.00
Min. Label Height (mm)	4.75
Min. Liner Width (mm)	25.00
Max. Liner Width (mm)	114.00
Max. Print Width (mm)	105.70
Recommended Usage per Day	4,000

Display	
Display	Colour LCD Screen
On Screen Indicators	Digital Clock, Error Messaging, Ethernet Status, Ready state
Software & connectivity	
Connectivity Options	Ethernet RS232 USB 2.0 USB Host
Software Compatibility	Brady Workstation Windows based driver for 3rd party software use
Compliance	
Approval/Compliance	CE UL FCC

PRINTERS - STANDARD VERSION

Art. No.	Order Reference	Description
324875	i6100-300-EU	i6100 Industrial Label Printer 300dpi - EU
324879	i6100-300-UK	i6100 Industrial Label Printer 300dpi - UK
324880	i6100-300-US	i6100 Industrial Label Printer 300dpi - US
324881	i6100-300-EU-BWS	i6100 Industrial Label Printer 300dpi + BWS - EU
324882	i6100-300-UK-BWS	i6100 Industrial Label Printer 300dpi + BWS - UK
324883	i6100-300-US-BWS	i6100 Industrial Label Printer 300dpi + BWS - US

PRINTERS - PEEL VERSION

Art. No.	Order Reference	Description
324876	i6100-300-P-EU	i6100 Industrial Label Printer 300dpi - EU with Peel function
324884	i6100-300-P-UK	i6100 Industrial Label Printer 300dpi - UK with Peel function
324885	i6100-300-P-US	i6100 Industrial Label Printer 300dpi - US with Peel function
324886	i6100-300-P-EU-BWS	i6100 Industrial Label Printer 300dpi - EU with Peel function and BWS
324887	i6100-300-P-UK-BWS	i6100 Industrial Label Printer 300dpi - UK with Peel function and BWS
324888	i6100-300-P-US-BWS	i6100 Industrial Label Printer 300dpi - US with Peel function and BWS



All i6100 Label Printer configurations come in a cardboard box and ship with a power plug and QuickStart Guide.

All printer configurations include the Brady Workstation Essentials software. Configurations with 'BWS' in the order reference include the extended Brady Workstation Pro license. Scan the QR code for more information on Brady Workstation!



PRINTER AND SCANNER KITS

Art. No.	Order Reference	Description
324889	i6100-V2200-KIT-EU	i6100 Industrial Label Printer 300dpi with V2200 scanner kit - EU
324890	i6100-V2200-KIT-UK	i6100 Industrial Label Printer 300dpi with V2200 scanner kit - UK
324891	i6100-V2200-KIT-US	i6100 Industrial Label Printer 300dpi with V2200 scanner kit - US
324892	i6100-V3200-KIT-EU	i6100 Industrial Label Printer 300dpi with V3200 scanner kit - EU
324893	i6100-V3200-KIT-UK	i6100 Industrial Label Printer 300dpi with V3200 scanner kit - UK
324894	i6100-V3200-KIT-US	i6100 Industrial Label Printer 300dpi with V3200 scanner kit - US

The printer and scanner kits include an i6100 Label Printer (standard model), a power plug, a QuickStart Guide and the Brady Workstation Design & Print Essentials software.

Kits with 'V2200' in the order reference include a V2200 Barcode reader and a USB-A cable 2m.

Kits with 'V3200' in the order reference include a V3200 Wireless Barcode reader, a V1300 Bluetooth cradle, a V1200 Li-ion Battery, a USB cable 1m and an AC adapter.



Art. No.	Order Reference	Description
178435	I6100-PEELER	Peeler Accessory for i6100 Industrial Label Printer
178436	I6100-AUTO-CUTTER	Auto Cutter Accessory for i6100 Industrial Label Printer

01/09/2025 EUR-M-031-EN © 2025 Brady Worldwide, Inc. All Rights Reserved.





